AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A write-once disc with at least one record layer, the disc comprising:

at least one temporary defect management area in which temporary management information including temporary defect information and temporary defect management information are recorded, said-the temporary defect information comprising position information of a defect area and position information of a replacement area for replacing the defect area, and saidthe temporary defect management information comprising a pointer indicating an area in which the temporary defect information is recorded; and

an access information area in which location information is recorded, said-the location information regarding an area in which the temporary management information is recorded.

2-3. (Canceled)

4. (Original) The disc of claim 1, wherein the location information is recorded in the access information area several times.

5-21. (Canceled)

22. (Currently Amended) An apparatus for recording information on a write-once disc with at least one record layer, the apparatus comprising:

a recording and/or reading unit configured to record that records information on and/or reads-read the information from the write-once disc comprising at least one temporary defect management area in which temporary management information including temporary defect information and temporary defect management information is recorded, said the temporary defect information comprising position information of a defect area and position information of a replacement area for replacing the defect area, and said the temporary defect management information comprising a pointer indicating an area in which the temporary defect information is recorded; and

a controller that controls the recording and/or reading unit to record location information, regarding an area in which the temporary management information is recorded, in an access information area of the write-once disc.

- 23. (Currently Amended) The apparatus of claim 22, wherein the controller <u>is further</u> configured to control controls the recording/reading unit to record the location information in the access information area several times.
- 24. (Currently Amended) The apparatus of claim 22, wherein the controller <u>is further</u> configured to control controls the recording/reading unit to record the location information in the access information area whenever a predetermined number of blocks of an area of the write-once disc are filled with information.

25-42. (Canceled)

43. (Currently Amended) An apparatus for performing defect management with regard to an information storage medium, the apparatus comprising:

a recording and/or reading unit <u>configured to record</u> that records information on and/or reads read the information from the write-once disc; and

a controller that configured to:

controls control the recording and/or reading unit to read location information regarding an area in which temporary management information is recorded, from an access information area of the information storage medium, the temporary management information including temporary defect information and temporary defect management information, the temporary defect information comprising position information of a defect area and position information of a replacement area for replacing the defect area, and the temporary defect management information comprising a pointer indicating an area in which the temporary defect information is recorded;

determines determine location regarding the area in which temporary management information is recorded, using the location information—; and

performs perform defect management using the temporary defect information in the temporary management information.